

RAG Rating	High	Sign Quantities	C1	22
	Med		C2	105
	Low		C4	28
	further consideration			

Ref	Street	Location	Issue	Fixing Point	Sign Dia No	Quantity	RAG Rating
Ld1	Corve Street	approach to signal junction form Bromfield Road end.	Narrow footways seen as pedestrian thoroughfare into the town.	Lamp Column Z7 and parking TRO sign opposite.	C2	2	Green
Ld2	Corve Street	signalised crossing on Corve Street and Station Road	bunching at crossing point while maintaining walkway for passing pedestrians	Pole 1,3,5 6	C1	4	Red
Ld3	Corve Street	On corner of Tesco with barriered footway	Pinch point with limited forward visibility due to bend and high level shrub bed.	mount each end post of railings.	C2	2	Red
Ld4	Corve Street	Outside and opposite Tesco	Gateway to town centre with prominent sign poles	mount on each Pay and Display Zone signs	C4	2	Red
Ld5	Corve Street	Outside Tesco	exist from Tesco and café with pedestrian flow crossing the door.	Mount on centre post on guard rail	C2		Amber
Ld6	Corve Street	OS Mortimer's	P&D machine with footway to the rear	Mount on parking TRO sign	C2	1	Amber
Ld7	Corve Street		Narrow footway with on-street parking	Lamp Columns 9 and 11	C2	2	Amber
Ld8	Corve Street	OS 141a	Start of On Street parking bay, narrow footway	Parking TRO Sign pole	C2	1	Amber
Ld9	Corve Street	OS 142	Close to P&D machine with on street bay.	Parking TRO Sign pole	C2	1	Amber
Ld10	Corve Street	OS Bistro Seven/Old Post Office Building	End of on-street parking bay, Bus stop, phone box, litter bin all in close proximity	Mount on pole at corner of building with litter bin attached.	C2	1	Amber
Ld11	Corve Street	Bus Stops OS and OP 145		Mount on bus stop pole	C4	2	Red
Ld12	Corve Street	OS and OP Floribunda	street layout, carriageway and footway width change. Prominent sign locations, ideal gateway/reminder location. Footways from this point into Bull Ring are narrower and busy.	Speed limit signs on both sides. Mount back to back	C4	4	Red
Ld13	Bull Ring	central	narrow footways with busy retail	Lamp Columns OS 23 and Nock Deighton	C2	2	Red
Ld14	Bull Ring	Disable Bay/Former Bank building? (No9)	Narrowing footway for pedestrians traveling from the King Street passageway	Pole with off-set bracket, set back to the side of building.	C2	1	Red
Ld15	Bull Ring	Signals	bunching up on the crossing, footway passing to the rear on both sides.	Mount on signal poles a sno other furniture. Ensure small sign plate mounted high up.	C1	2	Red
Ld16	Bull Ring	Junction with Tower Street	Shared surface with high footfall, treat as gateway	mount on illuminated traffic sign pole.	C4	1	Red

Ld17	Bull Ring	Junction with Old Street	Approach to town centre, footways narrow	On sign tucked in to side of No50 and Lamp column No1	C2		2	Red
Ld18	Old Street	Speed Limit signs OS and OP number 45 (takeaway)	Gateway into town with prominent signing locations	Speed Limit signs, both sides Back to back	C4		4	Amber
Ld19	Smithfield Car Park	Pedestrian Exit from car park	Treat as gateway	Lamp column (1)on car park and Lower Galdeford (10)	C4		2	Amber
Ld20	Lower Galdeford	Start of parking bays on approach to town centre	Parking bays with narrow footway	On parking restriction pole OS Tallow House	C2		1	Green
Ld21	Lower Galdeford	Start of parking bays on approach to town centre	Parking bays with narrow footway	On parking restriction pole OS No79	C2		1	Green
Ld22	Lower Galdeford	Start of parking bays on approach to town centre	Parking bays with narrow footway	On parking restriction pole OS112	C2		1	Green
Ld23	Lower Galdeford	Junction with Tower Street	start of shared surface, high footfall, loading and cash machine, treat as gateway	No Entry Signs, back to back on both sides	C4		4	Red
Ld24	Upper Galdeford	Car park entrance	narrow footways both sides and busy thoroughfare	sign poles both sides of the road Mount back to back	C2		4	Red
Ld25	Upper Galdeford	Crossing near junction with Station Drive	Narrow footways with risk of bunching up while waiting to cross. Footway traffic passing to rear of people crossing	Pole 6,7	C1		2	Red
Ld26	Station Drive	Crossing Nr Junction with Upper Galdeford	Narrow footways with risk of bunching up while waiting to cross. Footway traffic passing to rear of people crossing	Pole 2,3	C1		2	Red
Ld27	Station Drive	Railways Station Bus Stop	Narrow footway with high footfall.	Column 7 mount back to back	C4		2	Red
Ld28	Station Drive	Op Railway Station	Narrow footway with high footfall.	Column 6	C2		1	Amber
Ld29	Station Drive	Signals near Aldi	Narrow footway with high footfall. Pedestrians bunching up while waiting to cross and footway to the rear of crossing below required width.	Poles 2, 4	C1		2	Red
Ld30	Station Drive	Entrance/Exit to Aldi	High footfall adjoining main flow	Lamp Column 4 (back to back)	C2		2	Amber
Ld31	Station Drive	Bus stop OS Tesco		Mount on bus stop pole	C2		1	Red
Ld32	King Street Passage	Both Ends	pinch point in footway below required passing width with high footfall	consider A Frames or additional measures				Red
Ld33	King Street	OS Pye Powder, start of one way system	Narrow footways, independent businesses with small internal floor space.	Install in one-way sign poles both sides, back to back	C2		4	Red
Ld34	King Street	OS The Old Bull Ring Tavern	High footfall section leading into the narrowing of the streets and passages	Lamp Column 7	C2		1	Red
Ld35	King Street	OS Nationwide Building Society	High footfall section leading into the narrowing of the streets and passages. Cash machine may cause additional congestion.	On Fingerpost (mount back to back)	C2		2	Red

Ld36	King Street	Narrowed section	High footfall, very reduced footway width at carriageway level. Cash machine at Barclays may cause additional congestion of the space along with outside seating at Costa.	No street furniture and high risk area. Additional measures required.				Blue
Ld37	Church Walk	Junction with King Street	Narrow passage with minimal widths	mount on No Entry sign at Junction with King Street	C2		1	Red
Ld38	Church Walk	Church End	Narrow passage with minimal widths	Lamp Column 1	C2		1	Red
Ld39	College Street		Narrow passage with minimal widths	Lamp Column 2	C2		1	Red
Ld40	College Street	TBC	TBC	cant see on streetview/asset mapping. Judgement made on site	C2		1	Red
Ld41	Church Street	TBC	TBC	cant see on streetview/asset mapping. Judgement made on site. Poss Lamp Column 5 (poss back to back if column off set from wall)	C2		2	Red
Ld42	Church Street	junction with Harp Lane, the Market Square.	Pedestrianised area with high footfall and various directions of travel.	Mount on Finger post, Back to Back	C2		2	Red
Ld43	High Street	Junction with Broad Street	Narrow footways and carriageway	No Entry Sign (back to back)	C2		2	Red
Ld44	High Street	OS Benson of Ludlow		Mount on Finger post	C2		1	Red
Ld45	High Street	uncontrolled crossing point OS McCartney's	Pedestrian crossing, narrow footways busy retail section	Mount on Bollards (both sides of crossing)	C1		2	Red
Ld46	High Street	OS Vision Express	Narrow footways busy retail section	No Entry Sign	C2		1	Red
Ld47	High Street	OS Orvis	Narrow footways busy retail section	No Entry Sign	C2		1	Red
Ld48	Market Street	Junction with Castle Street	very narrow shared space.	No Entry Sign OS Spar. (back to back)	C2		2	Red
Ld49	Market Street	Junction with Broad Street	very narrow shared space.	No street furniture and high risk area. Additional measures required.				Red
Ld50	Castle Street	Bus stop	Narrow footway with on street parking, busy retail and bus stop	Mount on Bus Stop Pole	C2		1	Red
Ld51	Castle Street	Junction with Mill Street	gateway point, narrow footway, bust stop close by and on-street parking further along street	Give Way signs both sides, mount back to back	C2		2	Red
Ld52	Castle Street	OS Pizza Express	Route from College, Car Park and Castle	Give Way signs both sides, mount back to back	C2		4	Red
Ld53	Castle Street	OS Pizza Express/Car Park Access Road	Gateway into town with prominent signing locations	Mount on Carpark Sign against wall	C4		1	Red
Ld54	Market Square	Whole of	limited option amongst stalls but square flanked with town council columns	Town Council Columns (TBC)	C2		12	Red

Ld55	Castle Square	OS College	High footfall with travel in all directions	Illuminated traffic sign pole	C2	2	Red
Ld56	Castle Square	On Junction with Dinham	High footfall with travel in all directions and tourist info sign	Illuminated traffic sign pole (back to back)	C2	2	Red
Ld57	Castle Square	On Junction with Dinham	Narrow footway contained with railing	Finger post (back to back)	C2	2	Red
Ld58	Castle Square	next to the cannon	Pedestrian area	traffic sign pole	C2	1	Amber
Ld59	Castle Square	uncontrolled crossing OS Castle Lodge Buttery	Crossing and narrow footway with outside seating area	Bollard	C1	1	Amber
Ld60	Dinham	OS no 1	Narrow footway and on-street parking	Traffic sign pole	C2	1	Amber
Ld61	Dinham	OS no 7 rear gate	Narrow footway and on-street parking	Traffic sign pole	C2	1	Amber
Ld62	Dinham	P&D Machine x2	bunching up, queueing	On traffic sign pole	C1	2	Amber
Ld63	Dinham	On Footpath	Narrow footpath with seating areas	Lamp column 2 (back to back)	C1	2	Amber
Ld64	Dinham	On Footpath (start of)	Narrow footpath with seating areas	Lamp Column 3	C2	1	Amber
Ld65	Mill Street	uncontrolled crossing point	Crossing from Dinham towards Castle Street	Barrier/Railing	C2	1	Red
Ld66	Mill Street	Bus Shelter		On Bus Shelter	C4	2	Red
Ld67	Mill Street	OS No 55	Narrow footway with on street parking	On traffic sign pole	C2	1	Red
Ld68	Mill Street	OS Farmers Market	Narrow footway and Bus stop	On Lamp column No 2	C2	1	Red
Ld69	Mill Street	OS No 51	Narrow footway with on street parking	On traffic sign pole	C2	1	Amber
Ld70	Mill Street	OS No 5	Narrow footway with on street parking	On traffic sign pole	C2	1	Amber
Ld71	Mill Street	OS Marches Pottery	Narrow footway with on street parking	On traffic sign pole	C2	1	Amber
Ld72	Mill Street	Parking machine OS No 7	Narrow footway with on street parking	On traffic sign pole adjacent to machine	C2	1	Amber
Ld73	Mill Street	Op Junction with Bell Lane	Narrow footway with on street parking	On traffic sign pole adjacent to machine	C2	1	Amber
Ld74	Raven Lane	Near Junction with Bell lane	Narrow footway with on street parking	Zone Ends sign	C2	1	Amber
Ld75	Broad Street	Uncontrolled Crossing		on bollards (both sides)	C1	1	Red
Ld76	Broad Street	OS Poyners	Narrow footway and loading bay	On Loading bay sign pole	C2	1	Red
Ld77	Broad Street	OS Shapla	Narrow footway and on street parking	On Lamp Column No 2	C2	1	Red
Ld78	Broad Street	OS Sahara	Narrow footway and on street parking	On traffic signals pole (back to back)	C2	2	Red
Ld79	Broad Street	OS Roundabout Stationary	Narrow footway and on street parking	On traffic signals pole (back to back)	C2	2	Red
Ld80	Broad Street	OS No 15	Narrow footway and on street parking	Lamp Column 3	C2	1	Red
Ld81	Broad Street	OS Lloyds Bank/Walcote House	Narrow footway and on street parking and cash machines	On Traffic sign pole	C2	1	Red
Ld82	Broad Street	OS Methodist Church	Narrow footway and on street parking	On lamp column No4	C2	1	Red
Ld83	Broad Street	Junction with Bell Lane	Narrow footway and on street parking	Lamp Column 6	C4	1	Red
Ld84	Broad Street	Junction with Brand Lane	Narrow footway and on street parking	Traffic sign to rear of P&D machine (mounted to rear of exiting signs)	C4	1	Red

Ld85	Broad Street	OS No 38	Narrow elevated footway	Lamp Column No8	C2	1	Amber
Ld86	Broad Street	OS No 32	Narrow elevated footway	Traffic sign pole	C2	1	Amber
Ld87	Broad Street	Near Bradgate Arch	Shared surface with high footfall, treat as gateway	Lamp Column 9	C4	1	Red
Ld88	Lower Broad Street	Near Bradgate Arch	Shared surface with high footfall, treat as gateway	Lamp Column 1	C4	1	Red
Ld89	Lower Broad Street	OS No71	Narrow walkway approaching shared surface	Illuminated traffic sign pole	C2	1	Amber
Ld90	Lower Broad Street	OS No 5	On street parking and narrow footway	Traffic sign pole	C2	1	Amber
Ld91	Lower Broad Street	OS No 49	On street parking and narrow footway	Lamp column No3	C2	1	Amber
Ld92	Lower Broad Street	OS No 22	On street parking and narrow footway	Traffic sign pole	C2	1	Amber
Ld93	Lower Broad Street	Junction with Old Street	Narrow footway, pedestrian crossing and busy traffic route	Lamp Column 34	C2	1	Amber
Ld94	Ludford Bridge	both sides	pedestrians walk with traffic with passing places on the bridge	additional measures required			Green
Ld95	Old Street	Pedestrian Crossing	Narrow footway with crossing points. Risk of bunching at crossing and pedestrians walking to rear.	Mount on poles 1, 5	C1	2	Green
Ld96	Parkway	through whole route	No visibility on street view. Will need assessing on site	Lamp Columns 5,7,8 (TBC)	C2	3	Amber